

Технические характеристики

50 Гц n≈2900 об/мин n≈1450 об/мин

Модель	DN	Мощность		Q=Подача																				
				H=Напор (м)																				
				л/мин	0	833	1000	1167	1333	1667	2000	2167	2333	2667	3333	4000	5000	6000	6667	8000	8333	10000	10500	12500
Однофазный	мм	кВт	лс	м³/ч	0	50	60	70	80	100	120	130	140	160	200	240	300	360	400	480	500	600	630	750
FTD100-9/2	100x100	2.2	3	12.8	9	6.8	4.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FTD100-15/2	100x100	4	5.5	18.5	16.2	15	13.4	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FTD100-17G/2	100x100	5.5	7.5	22	20	19.4	18.4	17	12.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FTD100-22G/2	100x100	7.5	10	26	24.1	23.6	22.9	22	18.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FTD100-27/2	100x100	11	15	31.7	30.7	30.3	29.8	29.2	27	23.6	20.8	-	-	-	-	-	-	-	-	-	-	-	-	-
FTD100-33/2	100x100	15	20	37.2	36.2	35.8	35.3	34.7	33	30.1	27.9	-	-	-	-	-	-	-	-	-	-	-	-	-
FTD100-40G/2	100x100	18.5	25	44	43.7	43.4	42.9	42.1	40	36.6	34.3	-	-	-	-	-	-	-	-	-	-	-	-	-
FTD100-48G/2	100x100	22	30	51	50.8	50.6	50.2	49.7	48	45.5	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-
FTD100-52G/2	100x100	30	40	59	58.2	57.8	57.3	56.9	55.8	53.9	52	49.5	40.8	-	-	-	-	-	-	-	-	-	-	-
FTD125-11G/4	125x125	5.5	7.5	13.8	13.3	13.1	12.9	12.6	11.9	11	10.4	9.8	8.1	-	-	-	-	-	-	-	-	-	-	-
FTD125-14G/4	125x125	7.5	10	15.9	15.3	15.2	15.1	15	14.7	14	13.4	12.8	10.9	-	-	-	-	-	-	-	-	-	-	-
FTD125-19G/4	125x125	11	15	22	21.4	21.3	21.2	21.1	20.7	19.9	19.5	19	17.6	-	-	-	-	-	-	-	-	-	-	-
FTD125-22G/4	125x125	15	20	26.6	26.6	26.5	26.4	26.2	25.7	24.9	24.3	23.7	22	16.7	-	-	-	-	-	-	-	-	-	-
FTD125-28G/4	125x125	18.5	25	31	30.9	30.8	30.8	30.7	30.5	30.1	29.7	29.3	28	22.2	-	-	-	-	-	-	-	-	-	-
FTD125-32G/4	125x125	22	30	34.6	34.6	34.6	34.6	34.5	34.4	34	33.7	33.3	32	27.3	-	-	-	-	-	-	-	-	-	-
FTD125-40G/4	125x125	30	40	46.1	46.1	46	45.9	45.7	45.2	44.3	43.4	42.5	40	32.5	-	-	-	-	-	-	-	-	-	-
FTD125-48G/4	125x125	37	50	53	52.5	52.3	52.1	51.9	51.5	50.9	50.4	49.9	48	41.1	-	-	-	-	-	-	-	-	-	-
FTD150-12.5G/4	150x150	11	15	16.1	16.1	16.1	15.9	15.8	15.6	15.4	15.3	15.1	14.6	12.5	7.6	-	-	-	-	-	-	-	-	-
FTD150-17G/4	150x150	15	20	19.5	19.5	19.5	19.4	19.4	19.2	19.1	19	18.8	18.4	17	12.6	-	-	-	-	-	-	-	-	-
FTD150-22G/4	150x150	18.5	25	23.6	23.6	23.6	23.5	23.4	23.4	23.2	23.2	23.1	23	22	18.7	-	-	-	-	-	-	-	-	-
FTD150-25/4	150x150	22	30	28.1	28.1	28.1	28	28	27.9	27.7	27.5	27.3	26.8	25	21.3	-	-	-	-	-	-	-	-	-
FTD150-33/4	150x150	30	40	35.5	35.5	35.5	35.4	35.4	35.3	35.1	35	34.8	34.4	33	29.6	-	-	-	-	-	-	-	-	-
FTD150-40/4	150x150	37	50	43.1	43.1	43.1	43	43	42.9	42.7	42.6	42.4	41.9	40	36.2	-	-	-	-	-	-	-	-	-
FTD150-50/4	150x150	45	60	52.4	52.4	52.4	52.3	52.2	52.1	51.9	51.8	51.7	51.4	50	46.7	-	-	-	-	-	-	-	-	-
FTD200-16/4	200x200	18.5	25	22.5	-	-	-	-	22.5	22.4	22.3	22.3	22	20.7	19.4	16	11.5	-	-	-	-	-	-	-
FTD200-19/4	200x200	22	30	24.4	-	-	-	-	24.4	24.3	24.3	24.3	24	23	22	19	15	-	-	-	-	-	-	-
FTD200-24/4	200x200	30	40	26.1	-	-	-	-	26.1	26	25.9	25.9	25.8	25.5	25.1	24	21.5	-	-	-	-	-	-	-
FTD200-31/4	200x200	37	50	35.4	-	-	-	-	35.4	35.3	35.2	35.1	34.8	34	33.2	31	27.6	-	-	-	-	-	-	-
FTD200-36/4	200x200	45	60	39.5	-	-	-	-	39.5	39.4	39.3	39.2	39	38.5	37.9	36	33	-	-	-	-	-	-	-
FTD200-47/4	200x200	55	75	50.6	-	-	-	-	50.6	50.5	50.4	50.3	50.1	49.5	48.9	47	42.4	-	-	-	-	-	-	-
FTD200-53/4	200x200	75	100	55.7	-	-	-	-	55.7	55.7	55.7	55.7	55.6	55.2	54.8	53	50	-	-	-	-	-	-	-
FTD200-12.5/4	200x200	22	30	17.9	-	-	-	-	-	-	-	-	17.2	16.9	16.5	15.5	14	12.5	8	-	-	-	-	-
FTD200-20/4	200x200	30	40	24.8	-	-	-	-	-	-	-	-	24.6	24.4	24	23.2	21.7	20	14.2	-	-	-	-	-
FTD200-23/4	200x200	37	50	28.3	-	-	-	-	-	-	-	-	28.1	27.8	27.4	26.4	24.8	23	18.2	-	-	-	-	-
FTD200-27/4	200x200	45	60	32.5	-	-	-	-	-	-	-	-	32.1	31.7	31.2	30.1	28.4	27	22.5	-	-	-	-	-
FTD200-32/4	200x200	55	75	38	-	-	-	-	-	-	-	-	37.5	37.1	36.5	35.2	33.3	32	27.7	-	-	-	-	-
FTD200-43/4	200x200	75	100	47.5	-	-	-	-	-	-	-	-	47	46.7	46.4	45.6	44.4	43	38.6	-	-	-	-	-
FTD200-50/4	200x200	90	125	53	-	-	-	-	-	-	-	-	52.9	52.8	52.6	52	51	50	45.5	-	-	-	-	-
FTD250-16/4	250x250	30	40	20.8	-	-	-	-	-	-	-	-	20.5	20.4	20.1	19.6	18.8	18.2	16.5	16	13.3	-	-	-
FTD250-19/4	250x250	37	50	23.5	-	-	-	-	-	-	-	-	22.7	22.4	22.1	21.7	21.2	20.8	19.4	19	16.6	-	-	-
FTD250-22/4	250x250	45	60	26	-	-	-	-	-	-	-	-	25.7	25.3	25.1	24.7	24.2	23.8	22.4	22	19.7	-	-	-
FTD250-29/4	250x250	55	75	35	-	-	-	-	-	-	-	-	34.6	34.4	34.4	34.4	32.8	31.8	29.6	29	23.9	-	-	-
FTD250-36/4	250x250	75	100	39.5	-	-	-	-	-	-	-	-	39.1	38.8	38.6	38.2	37.7	37.3	36.3	36	32.5	-	-	-
FTD250-47/4	250x250	90	125	54	-	-	-	-	-	-	-	-	53.3	53.1	53	52.4	51.3	50.6	47.9	47	42.5	-	-	-
FTD250-56/4	250x250	110	150	62	-	-	-	-	-	-	-	-	61.6	61.4	60.9	60.2	59.2	58.6	56.6	56	51	-	-	-
FTD250-12.5/4	250x250	30	40	19.5	-	-	-	-	-	-	-	-	-	18.4	17.9	17.2	16.7	15.5	15.2	13.2	12.5	8.7	-	-
FTD250-14/4	250x250	37	50	21	-	-	-	-	-	-	-	-	-	20	19.5	18.9	18.4	17.5	17.2	15.6	14	11.6	-	-
FTD250-17/4	250x250	45	60	22.8	-	-	-	-	-	-	-	-	-	21.8	21.3	20.8	20.3	19.4	19.1	17.6	17	13.4	-	-
FTD250-20/4	250x250	55	75	25.5	-	-	-	-	-	-	-	-	-	24.5	24.1	23.7	23.3	22.4	22.1	20.5	20	16.5	-	-
FTD250-26/4	250x250	75	100	32.2	-	-	-	-	-	-	-	-	-	31.7	31.1	30.6	30.1	29.1	28.8	26.8	26	21.9	-	-
FTD250-32/4	250x250	90	125	37.7	-	-	-	-	-	-	-	-	-	36.7	36.3	35.7	35.3	34.3	34	32.6	32	28.4	-	-
FTD250-40/4	250x250	110	150	46.5	-	-	-	-	-	-	-	-	-	46	45.5	44.9	44.4	43.4	43	40.8	40	35.5	-	-
FTD250-50/4	250x250	132	180	56.2	-	-	-	-	-	-	-	-	-	55.6	55.2	54.6	54.1	53.2	52.9	50.9	50	45.4	-	-

Используемые материалы



No.	Описание	Материал
1	Покрытие лопасти	Алюминий
2	Лопасть	Пластик
3	Задняя часть корпуса	Чугун
4	Сквозной болт	Алюминий

Размер и вес

Модель	Размеры											Вес кг
	D	B1	B2	B3	B4	B5	H1	H2	H3	L1	L2	
FTD32-14G/2	120	151	125	101	101	144	90	135	469	320	160	33
FTD32-18G/2	120	151	125	101	101	144	90	135	469	320	160	34
FTD32-21G/2	140	171	137	101	101	144	90	137	514	320	160	38
FTD32-26G/2	140	171	137	101	101	144	90	137	514	320	160	42
FTD32-33G/2	160	196	150	109	109	144	90	145	572	340	170	52
FTD32-40G/2	160	214	169	128	128	144	100	151	593	360	180	65
FTD32-50G/2	200	257	190	128	128	144	100	173	656	360	180	84
FTD40-14G/2	122	151	125	98	95	120	68	139	451	320	160	31
FTD40-16G/2	122	151	125	98	95	120	68	139	451	320	160	32
FTD40-21G/2	140	171	137	98	95	120	68	149	504	320	160	38
FTD40-20G/2	140	171	137	105	95	144	85	144	516	320	160	43
FTD40-26G/2	160	196	150	116	109	144	85	156	578	340	170	54
FTD40-30G/2	160	214	169	116	109	144	85	156	583	340	170	62
FTD40-36G/2	200	257	190	133	128	144	90	181	654	380	190	85
FTD40-48G/2	200	257	190	133	128	144	90	181	654	380	190	94
FTD50-32G/2	160	196	150	128	128	144	105	150	592	400	200	64
FTD50-39G/2	160	214	169	128	128	144	105	150	597	400	200	71
FTD50-49G/2	200	257	190	128	128	144	105	172	660	400	200	88
FTD50-59G/2	200	257	190	163	163	144	105	178	666	440	220	112
FTD50-80G/2	350	315	261	163	163	144	105	222	783	440	220	184
FTD50-12G/2	120	151	125	114	101	144	105	135	484	340	170	37
FTD50-15G/2	140	171	137	114	101	144	105	137	529	340	170	42
FTD50-18G/2	140	171	137	114	101	144	105	137	529	340	170	45
FTD50-24G/2	160	196	150	114	101	144	105	147	589	340	170	55
FTD50-28G/2	160	214	169	118	109	144	105	152	599	340	170	64
FTD50-35G/2	200	257	190	118	109	144	105	175	663	340	170	81
FTD50-40G/2	200	257	190	142	138	144	105	175	663	400	200	98
FTD50-50G/2	350	314	261	142	138	144	105	225	830	400	200	173
FTD50-60G/2	350	314	261	171	163	144	115	225	840	440	220	196
FTD50-70G/2	350	314	261	171	163	144	115	225	884	440	220	203
FTD50-81G/2	350	355	273	171	163	144	115	225	917	440	220	256
FTD65-37G/2	200	257	190	128	128	144	105	180	668	400	200	90
FTD65-48G/2	200	257	190	128	128	144	105	180	668	400	200	98
FTD65-15G/2	140	171	137	116	101	144	105	153	545	340	170	48
FTD65-20G/2	160	196	150	116	101	144	105	163	605	340	170	57
FTD65-22G/2	160	214	169	116	101	144	105	163	610	340	170	64
FTD65-30G/2	200	257	190	131	115	144	105	194	682	360	180	85
FTD65-34G/2	200	257	190	131	115	144	105	194	682	360	180	94
FTD65-41G/2	350	314	261	148	138	144	105	234	839	400	200	173
FTD65-51G/2	350	314	261	148	138	144	105	234	839	400	200	188
FTD65-61G/2	350	314	261	174	162	160	125	228	897	475	238	208
FTD65-68G/2	350	355	273	174	162	160	125	228	930	475	238	260
FTD65-85G/2	400	397	314	174	162	160	125	231	1008	475	238	322
FTD80-41G/2	350	314	261	137	128	144	115	221	836	500	250	176
FTD80-48G/2	350	314	261	137	128	144	115	221	836	500	250	191
FTD80-13G/2	160	196	150	134	112	144	105	171	613	400	200	63
FTD80-18G/2	160	214	169	134	112	144	105	171	618	400	200	70
FTD80-23G/2	200	257	190	134	112	144	105	195	683	400	200	87
FTD80-29G/2	200	257	190	134	112	144	105	195	683	400	200	95
FTD80-32G/2	350	314	261	159	138	144	115	240	855	450	225	179
FTD80-38G/2	350	314	261	159	138	144	115	240	855	450	225	194
FTD80-47G/2	350	314	261	159	138	144	115	240	899	450	225	203
FTD80-54G/2	350	355	273	159	138	144	115	240	932	450	225	256
FTD80-67G/2	400	397	314	180	162	160	115	242	1017	500	250	324

Размер и вес

Модель	Размеры											Вес кг
	D	B1	B2	B3	B4	B5	H1	H2	H3	L1	L2	
FTD100-9/2	140	171	137	134	101	160	105	178	570	450	225	56
FTD100-15/2	160	214	169	134	101	160	105	190	637	450	225	73
FTD100-17G/2	200	257	190	146	118	144	120	199	702	450	225	96
FTD100-22G/2	200	257	190	146	118	144	120	199	702	450	225	104
FTD100-27/2	350	314	261	147	123	144	140	260	900	550	275	187
FTD100-33/2	350	314	261	147	123	144	140	260	900	550	275	202
FTD100-40G/2	350	314	261	181	152	230	140	270	954	550	275	220
FTD100-48G/2	350	355	273	181	152	230	140	270	987	550	275	273
FTD100-52G/2	400	397	314	181	152	230	140	270	1062	550	275	336
FTD125-11G/4	200	257	190	198	162	230	160	229	772	620	310	140
FTD125-14G/4	200	257	190	198	162	230	160	229	772	620	310	150
FTD125-19G/4	350	314	261	213	178	230	160	301	961	660	330	255
FTD125-22G/4	350	314	261	236	208	230	215	292	1051	800	400	310
FTD125-28G/4	350	355	273	236	208	230	215	292	1084	800	400	340
FTD125-32G/4	350	355	273	236	208	230	215	292	1122	800	400	361
FTD125-40G/4	400	397	314	261	233	230	160	298	1110	800	400	455
FTD125-48G/4	400	445	334	261	233	230	160	313	1167	800	400	492
FTD150-12.5G/4	350	314	261	217	180	230	175	297	972	660	330	260
FTD150-17G/4	350	315	261	217	180	230	175	297	1016	660	330	281
FTD150-22G/4	350	355	273	217	180	230	175	297	1049	660	330	312
FTD150-25/4	350	355	273	238	208	230	215	269	1061	800	400	365
FTD150-33/4	400	397	314	238	208	230	215	269	1136	800	400	445
FTD150-40/4	450	445	334	267	248	230	230	288	1212	900	450	518
FTD150-50/4	450	445	334	267	248	230	230	288	1212	900	450	570
FTD200-16/4	350	355	273	278	219	360	270	415	1265	1000	500	417
FTD200-19/4	350	355	273	278	219	360	270	415	1305	1000	500	434
FTD200-24/4	400	397	314	303	252	360	270	415	1335	1100	550	537
FTD200-31/4	450	445	334	303	252	360	270	445	1395	1100	550	602
FTD200-36/4	450	445	334	303	252	360	270	445	1420	1100	550	648
FTD200-47/4	550	484	367	315	269	360	270	457	1517	1100	550	744
FTD200-53/4	550	547	407	315	269	360	270	457	1587	1100	550	877
FTD200-12.5/4	350	355	273	278	219	360	270	415	1300	1000	500	432
FTD200-20/4	400	397	314	278	219	360	270	415	1334	1000	500	492
FTD200-23/4	450	445	334	303	252	360	270	445	1389	1100	550	602
FTD200-27/4	450	445	334	303	252	360	270	445	1412	1100	550	638
FTD200-32/4	550	484	367	303	252	360	270	445	1488	1100	550	710
FTD200-43/4	550	547	407	315	269	360	270	457	1556	1100	550	883
FTD200-50/4	550	547	407	315	269	360	270	457	1607	1100	550	975
FTD250-16/4	400	397	314	316	243	390	300	465	1430	1100	550	550
FTD250-19/4	450	445	334	316	243	390	300	495	1475	1100	550	611
FTD250-22/4	450	445	334	316	243	390	300	495	1500	1100	550	647
FTD250-29/4	550	484	367	329	264	440	300	507	1597	1100	550	773
FTD250-36/4	550	547	407	329	264	440	300	507	1667	1100	550	909
FTD250-47/4	550	547	407	347	292	440	305	485	1700	1200	600	1030
FTD250-56/4	660	645	535	347	292	440	305	525	1860	1200	600	1389
FTD250-12.5/4	400	397	314	316	243	390	300	465	1414	1100	550	552
FTD250-14/4	450	445	334	316	243	390	300	495	1469	1100	550	613
FTD250-17/4	450	445	334	316	243	390	300	495	1492			





